Hydrobiologia

The International Journal of Aquatic Sciences

Volume 526, 15 September 2004

Special Issue
Cladocera

Guest Editors
J. Pijanowska, P. Dawidowicz, A. Jachner & K. Szeroczyńska

Preface ix–xi

List of participants xiii–xx

PART I: MOLECULAR ECOLOGY AND TAXONOMY

***Miralona* gen. n. – a new genus of the subfamily Aloninae (Anomopoda, Chydoridae) from Australia**
A.Y. Sinev 3–14

No evidence for adaptive micro-evolution to a decrease in phosphorus-loading of a *Daphnia* population inhabiting a pre-alpine lake
P. Spaak, B. Keller 15–21

Status of *Daphnia* resting egg banks in Bohemian Forest lakes affected by acidification
M. Faustová, A. Petrusek, M. Černý 23–31

Low genotypic diversity in a *Daphnia pulex* population in a biomanipulated lake: the lack of vertical and seasonal variability
M. Matthes 33–42

Genetic identification of *Hyalodaphnia* species and interspecific hybrids
R. Billiones, M. Brehm, J. Klee, K. Schwenk 43–53

***Daphnia galeata* × *D. longispina* hybrids in western Norway**
A. Hobæk, M. Skage, K. Schwenk 55–62

Amplified fragment length polymorphism (AFLP) reveals species-specific markers in the *Daphnia galeata–hyalina* species complex
M. Gili, M.T. Monaghan, P. Spaak 63–71

Large intercontinental differentiation of *Moina micrura* (Crustacea: Anomopoda): one less cosmopolitan cladoceran?
A. Petrusek, M. Černý, E. Audenaert 73–81

PART II: PATTERNS IN TIME AND SPACE

A short-term study of vertical and horizontal distribution of zooplankton during thermal stratification in Lake Kinneret, Israel
B. Pinel-Alloul, G. Méthot, N.Z. Malinsky-Rushansky 85–98

Cladoceran periodicity patterns in relation to selected environmental factors in two cascading warm-water reservoirs over a decade
R.C. Hart 99–117

Morphological variation in *Daphnia cucullata* Sars with progressive eutrophication of a polymictic lowland reservior
J. Smakulska, A. Górniak 119–127

Chydorid ephippia as indicators of past environmental changes – a new method
K. Sarmaja-Korjonen 129–136

Abrupt changes in *Bosmina* (Cladocera, Crustacea) assemblages during the history of the Ostrowite Lake (northern Poland)
M. Gąsiorowski, K. Szeroczyńska 137–144

PART III: COMPETITION, PREDATION AND FEEDING

Interactions between the anomopod cladocerans *Ceriodaphnia dubia, C. cornuta, Simocephalus vetulus* and *S. serrulatus*, the aphanoneurid worm *Aeolosoma* sp., and the fish *Skiffia lermae*: predation or competition, or both?
S.S.S. Sarma, H.J. Dumont, S. Nandini 147–156

Effect of *Aeolosoma* sp. (Aphanoneura: Aeolosomatidae) on the population dynamics of selected cladoceran species
S. Nandini, S.S.S. Sarma 157–163

Costs of predator avoidance reduce competitive ability of *Daphnia*
P. Dawidowicz, M. Wielanier 165–169

Cladoceran densities, day-to-day variability in food selection by smelt, and the birth-rate-compensation hypothesis
Z. M. Gliwicz, A. Jawiński, M. Pawłowicz 171–186

Food quality constraints in *Daphnia*: interspecific differences in the response to the absence of a long chain polyunsaturated fatty acid in the food source
E. von Elert 187–196

Differential impacts of copepods and cladocerans on lake seston, and resulting effects on zooplankton growth
C. Becker, H. Feuchtmayr, D. Brepohl, B. Santer, M. Boersma 197–207

PART IV: LIFE HISTORIES AND MATERNAL EFFECTS

Life-history characteristics and fitness in descendents of parthenogenetic and ex-ephippio females of *Daphnia magna*
K. Arbačiauskas 211–218

Ontogenetic changes in *Daphnia* responsiveness to fish kairomone
A. Mikulski, D. Lipowska, J. Pijanowska 219–224

Maternal effects of photoperiod and food level on life history characteristics of the cladoceran *Daphnia pulicaria* Forbes
V. Alekseev, W. Lampert 225–230

Fish faeces as the primary source of chemical cues inducing fish avoidance diapause in *Daphnia magna*
M. Ślusarczyk, E. Rygielska 231–234

Hatching rate and hatching success with and without isolation of zooplankton resting stages
J. Vandekerkhove, B. Niessen, S. Declerck, E. Jeppesen, J.M.C. Porcuna, L. Brendonck, L. De Meester 235–241

PART V: ECOTOXICOLOGY

Effect of stress on the life-table demography of *Moina macrocopa*
S. Nandini, S.M. Mayeli, S.S.S. Sarma 245–254

Recovery patterns of *Moina macrocopa* exposed previously to different concentrations of cadmium and methyl parathion: life-table demography and population growth studies
E. Mangas-Ramírez, S.S.S. Sarma, S. Nandini 255–265

Electronic journals at
KluwerOnline
WWW.KLUWERONLINE.NL
Contact your librarian for more information